


Free Downloads of Build Instructions, Assembly Booklets & How To Guides

BuildInstructions.com

SISTERS OF SILENCE KHARON PATTERN ACQUISITOR

Built to approach its targets silently and with utmost stealth, the Kharon pattern Acquisitor is deliberately made to be a thing of mystery and terror when its presence is unveiled.

Used primarily in a paramilitary role by the Sisters of Silence, it can suppress civilian resistance with lethal effect, its heavy stubbers cutting through rampaging mobs and destroying makeshift barricades. Against greater threats, various payloads of missiles can be deployed, including sophisticated antipsyker warheads.



THIS IS NOT A TOY

Not suitable for children under 15 years of age.

WARNING: Resin dust can be harmful if inhaled. Always wear a dust mask or respirator when sanding or sawing resin parts.


www.forgeworld.co.uk



Components

Before assembly, check that none of the components are missing.

- Main Hull Top Hull
- Rear Hull
- VTOL Vent
- Vent Guard Engine x2
- Right Missile Launcher
- Left Missile Launcher
- Engine Intake 9.
- 10. Open Access Hatch
- II. Left Hellion Cannon
- 12. Right Hellion Cannon
- Upper Hatch Door 13.
- Lower Left Hatch Door 14.
- Lower Right Hatch Door
- 16. Closed Access Hatch
- 17. Clear Flying Peg
- 18. Flying Base



Assembly Legend Parts for Assembly Glue Contact Area Remove Shim Note Reverse Angle Insert

Preparing the Model for Assembly

Before assembling the model, wash each part thoroughly with an abrasive brush, such as a toothbrush, to remove any model release agent that may still be on the surface of the parts. Then, remove any excess resin such as mould lines, casting gates, vents and shims. For a more detailed guide to working with resin models, go to the Downloads section of the Forge World website.

This kit contains all the pieces required to construct a Kharon Pattern Aquisitor. To glue the resin pieces together, use Citadel Super Glue.


NOTE: We have cast this kit using advanced techniques and the best quality resin, but due to the nature of the casting process, your model may contain small air bubbles. These can easily be filled with model filler or super glue. Any slight warpage of thin parts can be corrected by immersing the part in hot tap water for about I minute, then carefully bending it back into shape.


If you need to contact the Forge World Customer Service team regarding this model, you can get in touch via email forgeworld@gwplc.com - or call: 0115 900 4995 within the UK


011 44 115 900 4995 from the USA and Canada

0011 44 115 900 4995 from Australia

00 44 115 900 4995 from Europe and the rest of the world.







As an option, instead of gluing the Access Hatch, the hull contains holes for inserting two 8mm magnets to allow you to switch between the Closed Access Hatch and the Open Access Hatch assembly.





II I2





Open Access Hatch Hull Assembly Assembly



© Copyright Games Workshop Limited 2017. All rights reserved.

www.forgeworld.co.uk



forgeworld.co.uk